


USING IMPLEMENTATION SCIENCE TO STRENGTHEN HIV PREVENTION FOR ADOLESCENT GIRLS AND YOUNG WOMEN

Sanyukta Mathur, DrPH MHS
Project Director, DREAMS Implementation Science
Research

June 1, 2018, Center for Global Development



Generating evidence around DREAMS

 3 cross-cutting themes—focusing on unique features of DREAMS



Assessing effectiveness of community-based girl-centered programming



Identifying and reaching male partners of adolescent girls and young women in HIV services




Introducing **oral PrEP** among adolescent girls and young women

Funding support from the Bill & Melinda Gates Foundation, PEPFAR and USAID Malawi through Project SOAR




Implementation science research sites



10 research activities across 7 DREAMS countries



Research approach











DREAMS is reaching many at-risk AGYW

- Vulnerable households
 - ✓ Experienced parental loss
- Increased biological vulnerability
 - √ High STI experience
- High-risk sexual behaviors
 - ✓ Multiple partnerships
 - ✓ Don't use condoms consistently
 - ✓ Use alcohol before sex.
- High-risk sexual relationships
 - Experienced sexual violence in the last 12 months
 - ✓ Partners have other partners (partner sexual concurrency)



Some sub-populations of AGYW not as well represented

- Out of school
- Sexually active

	Zambia		Kenya	
	DREAMS	Non-DREAMS	DREAMS	Non-DREAMS
Currently in school	71%	37%	58%	27%
Sexually active	41%	66%	62 %	78%



Vulnerability profiles of AGYW, Kisumu, Kenya

Preliminary findings from latent class analysis using survey data (n=1.014)

Non-orphan

Connected to adult in HH

Comprehensive knowledge of HIV

AGYW with higher vulnerability were more likely to report sexual risk behaviors



OUT-OF-SCHOOL LOWER VULNERABILITY 71% of sample



OUT-OF-SCHOOL
HIGHER
VULNERABILTY
29% of sample

Double orphan

Sometimes hungry

Not connected to adult in HH

Sexual debut ≤14

Moderate HIV risk perception


High gender inequity

No comprehensive knowledge of HIV






Men's history of trauma & HIV risk for AGYW



- Adult experiences of violence associated with multiple sexual partners (p=0.001)
- Childhood experiences of violence associated with multiple sexual partners in the last year and inconsistent condom use (both p<0.05)



Expanding the HIV prevention package for AGYW



High congruence among respondents:
 AGYW need PrEP due to sociocultural circumstances that increase their HIV risk

Study site: Tanzania

Mathur, Pilgrim, and Pulerwitz. 2016. "PrEP introduction for adolescent girls & young women," *The Lancet HIV* 3(9): e406-e408.



Facilitators to program implementation

Implementation Models & Cost

Important to develop coordination and cooperation among IPs for different implementation models

Implementer Perspectives

Critical to gain buy-in from parents/guardians and male partners of AGYW

AGYW Perspectives Community-based mentors key to connecting AGYW to DREAMS activities



Key IS takeaways to-date



Identify context-specific vulnerability profiles to inform more targeted outreach and programming.



Target programs toward men to address their high-risk behaviors and vulnerabilities to reduce risk for AGYW.



Engage AGYW and key actors to support HIV prevention & introduction of oral PrEP for AGYW.



Strengthen systems and support capacity of implementing partners to enhance comprehensive prevention for AGYW.



IS research team

Council staff:

- Sanyukta Mathur,
 Project Director

 smathur@popcouncil.org
- Julie Pulerwitz
- Nanlesta Pilgrim
- Ann Gottert
- Jerry Okal, Kenya
- Lyson Tenthani, Malawi
- Mike Mbizvo, Zambia
- Maurice Musheke, Zambia
- Lou Apicella, Tanzania

- Nrupa Jani
- Pamela Keilig
- Craig Heck
- Ellen Weiss
- Sherry Hutchinson

Local research partners:

- Epicentre, South Africa
- CHDC, Uganda
- IHM, Swaziland
- COM, Malawi



DREAMS IMPLEMENTATION SCIENCE RESEARCH

Evidence to Support HIV Prevention for Adolescent Girls and Young Women

popcouncil.org/DREAMS_IS