

**New data on African health professionals abroad**  
By Michael A. Clemens and Gunilla Pettersson

**Abstract**

The migration of doctors and nurses from Africa to developed countries has raised fears of an African medical brain drain. But empirical research on the causes and effects of the phenomenon has been hampered by a lack of systematic data on the extent of African health workers' international movements. We use destination-country census data to estimate the number of African-born doctors and professional nurses working abroad in a developed country circa 2000, and compare this to the stocks of these workers in each country of origin. Approximately 65,000 African-born physicians and 70,000 African-born professional nurses were working overseas in a developed country in the year 2000. This represents about one fifth of African-born physicians in the world, and about one tenth of African-born professional nurses. The fraction of health professionals abroad varies enormously across African countries, from 1% to over 70% according to the occupation and country. These numbers are the first standardized, systematic, occupation-specific measure of skilled professionals working in developed countries and born in a large number of developing countries.

---

The Center for Global Development is an independent think tank that works to reduce global poverty and inequality through rigorous research and active engagement with the policy community. This Working Paper was made possible in part by funding from the John D. and Catherine T. MacArthur Foundation and the William and Flora Hewlett Foundation.

Use and dissemination of this Working Paper is encouraged, however reproduced copies may not be used for commercial purposes. Further usage is permitted under the terms of the Creative Commons License. The views expressed in this paper are those of the author and should not be attributed to the directors or funders of the Center for Global Development.

# **New data on African health professionals abroad**

Michael A. Clemens<sup>1,2§</sup> and Gunilla Pettersson<sup>3</sup>

<sup>1</sup>Center for Global Development, 1776 Massachusetts Ave. NW, Suite 301,  
Washington, DC 20036, USA

<sup>2</sup>Public Policy Institute, Georgetown University, 3520 Prospect St. NW, 4th Fl.,  
Washington, DC 20007, USA

<sup>3</sup>Department of Economics, University College London, Gower Street, London  
WC1E 6BT, United Kingdom

<sup>§</sup>Corresponding author

Email addresses:

MC: [mclemens@cgdev.org](mailto:mclemens@cgdev.org)

GP: [g.pettersson@ucl.ac.uk](mailto:g.pettersson@ucl.ac.uk)

## Background

Policy and academic debate—often impassioned—on health professional migration from developing countries has frequently advanced beyond systematic knowledge of the extent of the phenomenon. In South Africa, epicenter of the HIV catastrophe, the health minister recently claimed that “if there is a single major threat to our overall health effort, it is the continued outward migration of key health professionals, particularly nurses” [1]. After the UK National Health Service ended its active recruitment of staff from Sub-Saharan Africa in 2001, the British Medical Association (BMA) and the Royal College of Nursing praised this “strong moral lead,” adding that “[i]t is now essential that other developed countries ... make a similar commitment to address the issue” [2]. BMA Chairman of Council James Johnson flatly declared that “the rape of the poorest countries must stop” [3].

In academic circles, Harvard’s Sabina Alkire and Lincoln Chen urge that developed countries’ migration policy “should adopt ‘medical exceptionalism’ based on moral and ethical grounds” [4]. Devesh Kapur and John McHale caution against “poaching” health workers from developing countries and claim that the case is “obvious” for “restraint” in the recruitment of doctors and nurses [5]. Philip Martin, Manolo Abella, and Christiane Kuptsch assert that South Africa is “suffering” from a “brain drain” of doctors and nurses and decry a fiscal impact over \$1 billion [6].

Some of the above statements were carefully researched using available information. But none of them could be based on clear measures of the extent of health professional migration because systematic data on international flows of African health workers have not heretofore existed. Untested hypotheses abound.

The simple reason for this is that no agency collects standardized data on international flows of people disaggregated by occupation. Each scholar who approaches the issue of African health professional migration is thus obliged to collect data anew. Amy Hagopian et al. use professional association data to count the number of African-trained physicians from nine sending countries practicing in two receiving countries (the US and Canada) [7]. Fitzhugh Mullan reports the number of physicians trained in eight African countries (and in Sub-Saharan Africa in the aggregate) practicing in four Anglophone destination countries [8]. The World Health Organization lists data on African-trained doctors and nurses working in seven or eight destination countries, covering 10 sending countries for doctors and 19 for nurses [9]. In a more ambitious effort, Docquier and Bhargava report the number of ‘African’ physicians from each of *all* the African sending countries practicing in 16 receiving countries each year from 1991 to 2004—where ‘African’ is defined differently according to each receiving country [10].

#### *Limitations of other investigations*

Each of these valuable datasets, while useful for certain research questions, has important characteristics that limit its application to other questions. First, three of these studies count only physicians; they omit nurses and all other types of health professionals, who are of great importance to African health systems and who constitute the majority of the health professional diaspora from Sub-Saharan Africa. Second, the studies of Hagopian et al., Mullan, and WHO only report a limited

number of sending and receiving countries, giving a poor idea of total flows—especially for non-Anglophone African countries.

Third, the Hagopian et al., Mullan, and WHO data focus exclusively—and Docquier and Bhargava primarily—on African-*trained* physicians as the principal measure of physicians' departure from Africa. This approach would lead to decent statistics for a study of, say, the fiscal consequences of physician emigration; the vast majority of African-trained doctors are trained with public funds. (It would be problematic even for this purpose, however, since a portion of African doctors trained abroad do so using scholarships funded by their home governments.) But a narrow focus on country of training would not be appropriate for other studies—such as an investigation of the effects of physician emigration on health system staffing, health care availability, or health outcomes in the countries of origin.

To see this, note that 12 of the 53 countries in Africa (and 11 of 48 Sub-Saharan countries) do not have a medical school accredited by the Foundation for Advancement of International Medical Education and Research (FAIMER) [11]. A medical degree from a FAIMER-accredited school is a prerequisite to licensure in major receiving countries such as the United States [12], and related but effectively similar restrictions apply in Australia and Canada. This means that, properly measured, an indicator of physician 'drain' based strictly on country of training would *define* about a quarter of Sub-Saharan Africa to have lost *zero* physicians to emigration. It is certain, however, that physicians would have left most or all of those countries to some degree at some point, with possible consequences for staffing, the availability of care or health outcomes. For related reasons, a country-of-training

based measure would artificially define nurse emigration from most Francophone African countries to be extremely small, since French law currently mandates that only graduates from French nursing schools may practice as professional nurses in France. Home-trained nurses who leave must therefore train again, in France, in order to appear in the data as practicing nurses in France—so they become foreign-trained nurses. Beyond this, a country-of-training measure for either doctors or nurses would give an odd accounting even for countries that do have accredited schools but many of whose nationals nevertheless train in other African countries. For instance: Doctors in the UK who were born in Zambia and Zimbabwe, but who trained in South Africa, would contribute exclusively to the South African ‘brain drain’—a classification that might be sensible for some research questions, but not others.

Fourth, the Docquier and Bhargava data take the very problematic step of mixing different and highly conflicting measures of what constitutes an African physician abroad. ‘African’ physicians are counted in some destination countries by their country of birth (e.g. Belgium), in others by their country of citizenship (e.g. Portugal), and in others by their country of training (e.g. France). This fact renders the meaning of the blended database extremely vague. To give one example, the French *Ordre National des Médecins* reports that in 1999 there were 238 physicians in France who were citizens of Sub-Saharan African countries, but the French census of 1999 reports 4,203 physicians in France who were born in Sub-Saharan Africa—a difference of 1,766%! To make another comparison, in 2001 the Canadian Medical Association reports 190 physicians in Canada trained in Egypt, but the Canadian census of the same year shows 750 Egyptian-born physicians working in Canada (a 395% difference). Such discrepancies are the rule, not the exception. Differences of

this magnitude suggest that mixing these different classifications can destroy the ability of the resulting number to measure anything at all. In empirical studies of emigrants and diasporas it is imperative to choose a single definition and retain it.

Fifth, there are limits to the coverage of the Docquier and Bhargava data in time and space. They report panel data on 14 years of annual flows of physicians out of Africa, but these are calculated based on 14 years of annual stock data for only five of the 16 destination countries they study. In the other 11 receiving countries the flows are interpolated from three or fewer annual observations (in 10 of them, 2 or fewer observations). For the large majority of the receiving countries, then, the annual flows are broad interpolations. The result is a database that is a blend of cross section and time series, with an unknown degree of measurement error in either dimension.

Finally, the dataset omits destination countries that are very important for certain African sending countries, destinations like Spain and South Africa.

The present study seeks to create a systematic, standardized snapshot of the stock of African-born physicians and professional nurses living and working in developed countries. It improves on earlier work by including professional nurses; by maintaining a single, consistent definition of 'African'; by including all the major destination countries; by covering every African sending country; and by providing information on country of birth rather than country of training, a more useful measure for certain research questions.

## Methods

In late 2005 we contacted the census bureaus of the nine most important destination countries for African health professional emigrants to obtain estimates of the number of African-born doctors and nurses living in each destination country at the time of the most recent census.

*What is an 'African' health professional?*

There is, of course, no single statistic that captures the extent of “African health worker emigration”. One can interpret each component of the phrase in multiple ways. Is an “African” someone resident in Africa, someone born in Africa, someone whose ancestors for several generations were born in Africa, someone trained in Africa, or someone who holds African citizenship? Does “Africa” include North Africa and all of South Africa? Is a “health worker” someone who was trained as such or someone who currently works in the health sector? How long must one stay outside the country for that movement to be “emigration”?

This database takes one of many possible valid stances on these questions. Here, we classify “Africans” by country of birth; we include the entire African continent; we count as doctors and nurses only those currently employed as doctors and nurses; we include only developed countries as destinations; and we count those who were residing in the receiving countries on a sufficiently permanent basis circa 2000 to be included in that country’s most recent census.



All previous databases and this one share limitation that they are based on census or professional society data and thus record each individual's occupation as the job that the person performs currently. An African trained as a nurse who now works abroad outside the health sector is therefore not counted. But to the extent that the tendency for emigrant health professionals to leave the health sector does not differ markedly by country of origin, even numbers that do not account for this phenomenon still give a good indicator of relative emigration across sending countries. In other words, a certain number of emigrated Senegalese nurses are not counted because they no longer work as nurses. But there is no a priori reason to think this tendency stronger (nor thus that undercounting is greater) for Senegalese nurses than for Malawian nurses. An additional reason the data are informative despite the absence of those who leave the health profession in the destination countries is that some research questions will focus primarily on those who remain in the health field. A key question for policy research is whether or not developed countries are luring specifically health workers from poor countries to fill developed-country positions, and the incentive systems they create to do so only function to the extent that the immigrants remain in health care.

The case of Mozambique aptly illustrates the sensitivity of data like these to different assumptions. The Mozambique Medical Association estimates, in a personal communication to the authors, that only around 5% of Mozambican physicians work abroad. Destination-country census data show that about 75% of people born in Mozambique who now work as physicians do not live in Mozambique. The main cause of this disparity is the fact that many of those physicians are of European ancestry and departed in the mass exodus of Portuguese colonists around

independence in 1975. But it is not at all obvious that counting whites results in a poor measure of human capital loss. In South Africa white health professionals today play an important role in educating a new generation of black health professionals. It is true that Mozambican-born physicians in the white colonist class were providing most of their health care to urban elites in the colonial era rather than to rural blacks, but the same could be said of many black physicians in today's independent African states. We take country of birth as a useful measure of "African-ness" though we recognize it is not germane to all research questions.

*Nine destination countries proxy for the world*

We also assume that we have a good estimate of how many African health professionals live outside each sending country simply by counting how many live in the nine most important destination countries. Those countries are the United Kingdom, United States, France, Australia, Canada, Portugal, Belgium, Spain, and South Africa. In choosing this list we sought a balance between coverage and the time and expense of additional data collection.

The primary reason that we take these countries as sufficient for most purposes to capture health professional emigration from Africa is that the first eight receiving countries alone account for 94.2% of all African-born, university-educated people residing in any OECD country in 2000. Our experience comparing the migration patterns of African health professionals to those of other types of well-educated migrants suggests that the proportion of total African health professional emigrants is

similar to this value. We add a ninth country, South Africa, because we take it to be the most important non-OECD receiving country for African health professionals.

It is of course possible that another non-OECD country, such as Saudi Arabia, is important for some countries, or that health professionals differ greatly in their migration patterns from other skilled professionals. But survey data from African health professionals considering emigration suggest that neither of these is the case. Between 2001 and 2002, Magda Awases et al. of the World Health Organization interviewed 2,382 doctors, nurses, and other health professionals in six African countries [13]. Each person declaring an intention to emigrate was asked his or her favored destination. The fraction of these in each country who gave one of our nine destination countries was 89.3% in Cameroon, 91.8% in Senegal, and 94.6% in South Africa. A small percentage of respondents in Zimbabwe mentioned Botswana and New Zealand as destinations but the vast majority mentioned one of our nine receiving countries. Respondents from Ghana and Uganda did not mention any countries outside Africa besides the US and UK, and these two destinations plus South Africa accounted for the vast majority of favored destinations in both cases.

Martha Johanna Oosthuizen surveyed in 2002 the favored destination countries of a sample of Registered Nurses in South Africa who had just finished their training if they were to work outside South Africa [14]. Of these, 24% mentioned countries outside Africa not included in the nine considered here: Ireland (2%), New Zealand (4%), and Saudi Arabia (18%). An additional 11% mentioned unspecified “other countries in Europe and Africa”, a subset of which may be included in the nine countries considered here. These results are somewhat difficult to interpret since, of

the 105 people who answered the survey, only 85 stated that they would ever consider working outside the country while 91 gave a favored destination if they were to work outside the country. The 105 respondents were self-selected from a pool of 500 nurses initially contacted, so nonresponse bias in these numbers is a real possibility. Note also that direct recruitment of nurses by Saudi Arabia in South Africa is a very recent phenomenon, meaning that the proportion of emigrating South African Registered Nurses who went to Saudi Arabia before the year 2000 is certainly much lower than 18%.

Both in the surveys of Awases et al. and of Oosthuizen a small fraction of emigrating African health professionals reveal the intent to work in another African country, a flow which is not captured by the data presented here and which represents a small discrepancy between these numbers and true emigration to all other countries. It is smaller still when one considers reciprocal flows: A small number of emigrating Nigerian physicians go to work in Ghana, but a small number of emigrating Ghanaian physicians go to work in Nigeria. Counting each as an additional loss would ignore the fact that for intra-Africa movements, one country's loss is another's gain. And this discrepancy, to the extent that it is small and largely independent of country characteristics, contributes primarily white noise to the data here rather than any bias that would affect the analysis. In sum, the true number of health professionals working abroad may exceed the number working in the nine destination countries focused on here by an amount on the order of 5-10%. There is little reason to think that this discrepancy is systematic across countries, so the indicator remains a good estimate of the relative degree of health professional emigration across countries.

## Results

Table 1 presents the number of African-born physicians residing in the nine principal destination countries circa 2000, and Table 2 presents the numbers for professional nurses. Combined with statistics for the number of physicians and professional nurses who live and work in each African country, this allows us to estimate—in the final column of each table—the fraction of total doctors and nurses born in each African country who live abroad. Figure 1 presents this fraction graphically for physicians from all African countries, and Figure 2 does the same for nurses.

Approximately 65,000 African-born physicians and 70,000 African-born professional nurses were working overseas in a developed country in the year 2000. This represents about one fifth of African-born physicians in the world, and about one tenth of African-born professional nurses. The fraction of health professionals abroad varies enormously across African countries, from 1% to over 70% according to the occupation and country.

## Discussion

The purpose of this note is to describe and disseminate the data rather than engage in extensive analysis. Several features of the data nevertheless leap out of the figures. The first is the extreme size of the health professional diaspora, for some countries, relative to the domestic workforce. For every Liberian physician working in Liberia, about two live abroad in developed countries; for every Gambian professional nurse working in the Gambia, likewise about two live in a developed country overseas. Also notable in the figures is the extreme variation of these statistics across the continent; Niger has a tiny physician diaspora; Ghana's is enormous.

Figure 1 also suggests a relationship between the loss of professionals and economic and political stability. Angola, Congo-Brazzaville, Guinea-Bissau, Liberia, Mozambique, Rwanda, and Sierra Leone all experienced civil war in the 1990s and all had lost more than 40% of their physicians by 2000. Kenya, Tanzania, and Zimbabwe all experienced decades of economic stagnation in the late 20th century and by its end, each had lost more than half of its physicians. Countries with greater stability and prosperity—Botswana, South Africa, and pre-collapse Côte d’Ivoire—managed to keep their doctors. It further appears that physicians may not leave countries too destitute to educate large numbers of doctors with the human and financial capital necessary to emigrate—such as Congo-Kinshasa, Niger, and pre-pipeline Chad. All three of these are among the poorest countries on earth, are not the site of any of Africa’s strongest medical schools, and have very low physician emigration rates. Large countries (Nigeria, South Africa) appear better at generating domestic opportunities for health professionals. Doctors from Francophone African countries may face language barriers or other impediments in the destination countries with the most opportunities for foreign doctors. These are simple correlations; establishing causal relationships awaits more systematic analysis of these numbers.

It is important to point out that most publicly released custom tabulations from census data either contain small random perturbations or are scaled up from a random sample of the full census database using sampling weights, both of which seek to protect the privacy of individual census respondents. While the size of these alterations makes them immaterial to the analysis in this paper, it should be borne in mind that 1) the numbers in Tables 1 and 2 are not an exact representation of the full census results

and 2) a separately-prepared custom extract of precisely the same variables from the same census may yield slightly different numbers.

## **Conclusions**

Researchers performing quantitative analysis of the effects of international trade on development can purchase detailed bilateral trade statistics from the International Monetary Fund, disaggregated by product and service with great detail. Those studying international investment flows have ready access to bilateral data from the World Bank and the United Nations disaggregated by financial instrument. But there exists no comprehensive and systematic bilateral database of the international flows of people for all countries, much less one that provides details about the migrants such as their occupation. All developed countries collect occupation-specific data on people who arrive in the country but most do not do so for people who depart the country, making high-frequency occupation-specific data on bilateral gross migration flows impossible to compile.

Until such a database exists, quantitative study of this crucial aspect of globalization will be impeded. Researchers will face the labor-intensive task of compiling data anew for each investigation. We are currently using the numbers reported here in concert with other data to perform the first systematic quantitative analysis of the effects of health professional emigration on health system staffing and health care availability in Africa, the first systematic calculation of return-migration rates for African professionals, and the first systematic calculation of the net fiscal impact of African health professional emigration. These are the first papers in a large-scale

research initiative on the effects of developed-country immigration policy on poor countries.

## Competing interests

The authors declare that they have no competing interests.

## Authors' contributions

MC conceived of the study; MC and GP worked with census bureaus and other statistical agencies to compile and standardize the data.

## Acknowledgements and permissions

**Australia:** Physician and professional nurse stocks are from Australian Bureau of Statistics “data available upon request”, 2001 Census of Population and Housing (received October 31, 2005). Copyright in ABS data vests with the Commonwealth of Australia. Used with permission. “Physicians” are ASCO (Australian Standard Classification of Occupations) code 231 and “professional nurses” are ASCO 232.

**Belgium:** Physician stocks from the Cadastre des Professionnels de Santé, Service Public Fédéral de Santé Publique, Sécurité de la Chaîne Alimentaire et Environnement; Administration de l'Expertise Médicale MEDEX (received December 14, 2005). Professional nurse stocks from Enquête Socio-Économique 2001, Service Public Fédéral d'Économie, PME, Classes Moyennes et Énergie: Direction Générale de la Statistique et de l'Information Économique (received May 5, 2006).

**Canada:** Statistics Canada table “Labour Force 15 Years and Over by Occupation (2001 National Occupational Classification for Statistics) (3) and Place of Birth of Respondent (57)”, adapted from Statistics Canada, 2001 Census, Custom Table CO-0878 (received November 16, 2005), copyright permission 2005309. Copyright retained by Statistics Canada. “Physicians” are NOCS (National Occupational Classification for Statistics) codes D011 and D012, and “professional nurses” are NOCS code D1.

**France:** Physician and professional nurse stocks are from a custom tabulation prepared from the 1999 Recensement de la Population Française by the Institut National de la Statistique et des Études Économiques (received November 3, 2005). “Physicians” are PCS 2003 (Professions et Catégories Socioprofessionnelles) codes 3111, 3112, 3431, 3432, and 3434. “Professional nurses” are PCS 2003 codes 4311, 4312, 4313, 4314, 4315, and 4316.



**Portugal:** Physician and professional nurse stocks are from Instituto Nacional de Estatística–Portugal, Recenseamento Geral da População 2001, custom tabulation 15384 (received November 7, 2005).

**South Africa:** Physician and professional nurse stocks are from Statistics South Africa, custom extract from the full 2001 census database (received November 11, 2005). “Physicians” are South African Standard Classification of Occupations (SASCO) code 222 and “professional nurses” are SASCO code 223. The *Report of the Census Sub-Committee to the South African Statistics Council on Census 2001* suggests several deficiencies of the 2001 census data but none of these are likely to substantially affect the estimates of physicians and professional nurses in the population.

**Spain:** Custom tabulation from Instituto Nacional de Estadística de España, Censo de Población y Viviendas 2001, Resultados Detallados Definitivos (updated February 17, 2004), <http://www.ine.es/inebase>. “Physicians” are code 212 in the *Clasificación Nacional de Ocupaciones* 1994 (CNO94) and “professional nurses” are CNO94 code 272.

**United States:** Physician stocks are from US Census Bureau, Census 2000 Special Tabulation, STP 266 (received November 10, 2005). “Physicians” are those classified by the census as “medical doctors”, i.e. Census Occupation Code (*qocc*) 304, 306-310, 312, and 325. Professional nurse stocks for the 19 sending countries with the largest stocks were “registered nurses” (PUMS occupation code 313, SOC code 29-1111) taken from U.S. Dept. of Commerce, Bureau of the Census, Census of Population and Housing, 2000 (United States): *Public-Use Microdata Sample: 5-percent sample* (computer file), ICPSR release, Washington, DC: U.S. Dept. of Commerce, Bureau of the Census [producer], 2003, Ann Arbor, MI: Inter-university Consortium for Political and Social Research [distributor], 2003. For sending countries with stocks too small to be captured in the 5% PUMS file, professional nurses listed in the PUMS file as being born in “other Africa” were allotted to each sending country proportionately to that country's representation among “other health professionals” (*qocc* 300, 303, 311, 313-324, 326-and 354) in Special Tabulation 266.

**United Kingdom:** Physician and professional nurse stocks are from 2001 UK Census Commissioned Table CO435 (received October 28, 2005). Crown copyright 2005. Crown copyright material is reproduced with the permission of the Controller of HMSO, license number C02W0007736. “Physicians” are International Standard Classification of Occupations 1988 (ISCO88) code 222, and “professional nurses” are ISCO88 codes 223 and 323.

**Domestic health worker stocks:** Taken from Africa Working Group, Joint Learning Initiative (2004), *The Health Workforce in Africa: Challenges and Prospects*, WHO, World Bank, Rockefeller Foundation, and Global Health Trust, Table 3, page 89. (Data for table in source were taken from the World Health Organization Africa Regional Office database – May/June 2004.) The dates of the stock measurements are as follows: 1995 for Central African Republic, Rep. of Congo, Guinea, Kenya, Lesotho, Mauritius, Senegal, Tanzania, and Zambia; 1996 for Cameroon, São Tomé and Príncipe, Sierra Leone, and Swaziland; 1997 for Angola, Comoros, Gabon, Gambia, Liberia, Libya, Namibia, Somalia, and Tunisia; 1999 for Botswana, Djibouti,

Ghana, Malawi, and South Africa; 2000 for Chad, Egypt, Eritrea, Ethiopia, Mali, Mozambique, and Sudan; 2001 for Benin, Burkina Faso, Equatorial Guinea, Madagascar, Morocco, and Togo; 2002 for Algeria, Côte d'Ivoire, Mauritania, Niger, Rwanda, and Uganda; 2003 for Burundi, Cape Verde, Dem. Rep. of Congo, Guinea-Bissau, Seychelles, and Zimbabwe. The following error in the original data was corrected: For Botswana, original says 53 physicians in 1999, corrected to 530 based on WHO Global Atlas of Infectious Disease estimate of 488 in 1999. The following countries with missing data in the original source were taken from the WHO Global Atlas of Infectious Disease, <http://www.who.int/GlobalAtlas>, accessed July 19, 2005: Physicians: Djibouti, Egypt, Libya, Morocco, Somalia, Sudan, and Tunisia. Nurses: Algeria, Djibouti, Egypt, Libya, Morocco, Somalia, Sudan, Swaziland, and Tunisia. The nurse stock for Nigeria in the original source was atypically outdated (1992), so a more recent figure (1996) was obtained from Federal Republic of Nigeria, *Social Statistics in Nigeria 1995-1996*, Federal Office of Statistics, Abuja: Table 4.1, "Health Manpower in Nigeria 1993-1996".


## References

1. Tshabalala-Msimang M: quoted in **We must end doctor brain drain**. *The Citizen* (South Africa), August 20, 2002.
2. British Medical Association: **Joint British Medical Association/Royal College of Nursing letter to Rt Hon Gordon Brown**, 15 June, 2005 [<http://www.bma.org.uk/ap.nsf/Content/SkillsDrainBrown>], accessed August 9, 2005.
3. Johnson J: **Speech to Annual Representative Meeting**, June 27, 2005, [<http://www.bma.org.uk/ap.nsf/Content/ARM05ChCo>], accessed August 11, 2006.
4. Alkire S, Chen L: **'Medical exceptionalism' in international migration: should doctors and nurses be treated differently?**, JLI Working Paper 7-3, Global Health Trust; 2004 [<http://www.globalhealthtrust.org/doc/abstracts/WG7/Alkirepaper.pdf>], accessed January 26, 2007.
5. Kapur D, McHale J: **Policy Options**. In *Give Us Your Best and Brightest: The global hunt for talent and its impact on the developing world*. Washington, DC: Center for Global Development; 2005.
6. Martin P, Abella M, Kuptsch C: *Managing Labor Migration in the Twenty-First Century*. New Haven: Yale University Press; 2006.
7. Hagopian A, Thompson M, Fordyce M, Johnson K, Hart L, **The migration of physicians from sub-Saharan Africa to the United States of America: measures of the African brain drain**. *Human Resources for Health* 2004, 2:17.
8. Mullan F: **The metrics of the physician brain drain**. *New England Journal of Medicine* 2005, **353**:1810-1818.
9. World Health Organization: **Managing exits from the workforce**. In *World Health Report 2006*, Geneva: WHO; 2006.
10. Docquier F, Bhargava A: **A New Panel Data Set on Physicians' Emigration Rates (1991-2004)**. Processed, Université catholique de Louvain, Faculté de Sciences Économiques; 2006


- [[http://www.ires.ucl.ac.be/CSSSP/home\\_pa\\_pers/docquier/oxlight.htm](http://www.ires.ucl.ac.be/CSSSP/home_pa_pers/docquier/oxlight.htm)], accessed January 26, 2007.
11. Educational Commission for Foreign Medical Graduates: **International Medical Education Directory (IMED)** [<http://imed.ecfmg.org>], accessed January 26, 2007.
  12. American Medical Association: **Practicing Medicine in the US** [<http://www.ama-assn.org/ama/pub/category/10141.html>], accessed January 26, 2007.
  13. Awases M, Gbary A, Nyoni J, Chatora R: *Migration of Health Professionals in Six Countries: A Synthesis Report*. Brazzaville, Rep. of Congo: World Health Organization Regional Office for Africa; 2004 (p38).
  14. Oosthuizen MJ: **An analysis of the factors contributing to the emigration of South Africa nurses**. *PhD dissertation*. University of South Africa (Pretoria), Department of Health Studies; 2005 (p177).

# Figures

Figure 1: Fraction of African-born physicians residing and working abroad circa 2000



**Figure 2: Fraction of African-born professional nurses residing and working abroad circa 2000**



## Tables

**Table 1. Physicians born in Africa appearing in census of nine receiving countries circa 2000**

Sending country	Domestic	Receiving country									Total abroad	Frac.*
		GBR	USA	FRA	CAN	AUS	PRT	ESP	BEL	ZAF		
Algeria	13,639	45	50	10,594	10	0	2	60	99	0	10,860	44%
Angola	881	16	0	5	25	0	2,006	14	5	31	2,102	70%
Benin	405	0	4	206	0	0	0	1	13	0	224	36%
Botswana	530	28	10	0	0	3	0	0	1	26	68	11%
Burkina Faso	314	0	0	77	0	0	0	0	1	0	78	20%
Burundi	230	5	0	53	10	3	0	1	55	9	136	37%
Cameroon	1,007	49	170	332	20	0	0	4	267	3	845	46%
Cape Verde	202	0	15	10	0	0	186	0	0	0	211	51%
Cent. Afr. Rep.	120	0	0	79	0	0	2	1	5	0	87	42%
Chad	248	0	0	69	0	0	0	0	1	0	70	22%
Comoros	50	0	0	20	0	0	0	0	1	3	24	32%
Congo, DR	5,647	37	90	139	35	0	42	4	107	98	552	9%
Congo, Rep.	670	11	15	468	0	0	49	4	65	135	747	53%
Cote d'Ivoire	1,763	0	10	262	0	0	0	1	8	3	284	14%
Djibouti	86	0	0	25	0	0	0	0	1	0	26	23%
Egypt	143,555	1,465	3,830	471	750	535	1	17	31	19	7,119	5%
Eq. Guinea	47	0	0	4	0	0	1	76	0	0	81	63%
Eritrea	173	18	55	0	20	5	0	0	0	0	98	36%
Ethiopia	1,310	65	420	16	30	9	1	1	2	9	553	30%
Gabon	368	0	0	61	0	0	0	0	4	0	65	15%
Gambia	40	16	30	0	0	0	0	0	0	0	46	53%
Ghana	1,294	590	850	16	95	0	0	4	2	82	1,639	56%
Guinea	898	3	15	69	10	0	0	11	7	0	115	11%
Guinea-Bissau	103	0	15	75	0	0	160	0	1	0	251	71%
Kenya	3,855	2,733	865	0	180	110	1	4	1	81	3,975	51%
Lesotho	114	8	0	0	0	0	0	0	0	49	57	33%
Liberia	73	10	105	5	0	0	0	5	1	0	126	63%
Libya	6,371	349	120	20	75	5	0	9	7	0	585	8%
Madagascar	1,428	6	30	878	0	0	0	0	6	0	920	39%
Malawi	200	191	40	0	0	10	2	1	1	48	293	59%
Mali	529	0	15	138	0	0	0	0	4	0	157	23%
Mauritania	333	0	10	28	0	0	0	4	1	0	43	11%
Mauritius	960	294	35	307	110	36	1	0	20	19	822	46%
Morocco	14,293	33	225	5,113	70	4	9	833	213	6	6,506	31%
Mozambique	435	16	20	0	10	3	1,218	4	2	61	1,334	75%
Namibia	466	37	15	0	30	9	0	0	0	291	382	45%
Niger	386	0	10	23	0	0	0	1	3	0	37	9%
Nigeria	30,885	1,997	2,510	29	120	0	1	13	6	180	4,856	14%
Rwanda	155	4	25	8	0	0	1	0	70	10	118	43%
Sao Tome & P.	63	0	0	0	0	0	96	1	0	0	97	61%
Senegal	640	0	40	603	10	0	1	9	12	3	678	51%
Seychelles	120	29	0	4	10	3	0	0	0	4	50	29%
Sierra Leone	338	118	115	9	0	0	0	0	3	4	249	42%
Somalia	310	53	70	0	25	3	0	0	0	0	151	33%
South Africa	27,551	3,509	1,950	16	1,545	1,111	61	5	0	-834**	7,363	21%
Sudan	4,973	606	65	17	15	40	0	1	4	10	758	13%
Swaziland	133	4	4	0	0	0	1	0	0	44	53	28%
Tanzania	1,264	743	270	4	240	54	1	1	3	40	1,356	52%
Togo	265	0	10	168	0	0	0	0	2	0	180	40%
Tunisia	6,459	16	30	3,072	10	0	0	4	60	0	3,192	33%
Uganda	2,429	1,136	290	1	165	61	1	1	3	179	1,837	43%
Zambia	670	465	130	0	40	39	3	0	3	203	883	57%
Zimbabwe	1,530	553	235	0	55	97	12	1	6	643	1,602	51%
Africa	280,808	15,258	12,813	23,494	3,715	2,140	3,859	1,096	1,107	1,459	64,941	19%
Sub-Saharan	96,405	13,350	8,558	4,199	2,800	1,596	3,847	173	696	1,434	36,653	28%

Sources: See Acknowledgements. African sending countries show country of birth as recorded in the receiving-country census. Receiving countries show country of residence at the time of the last census (France [FRA] 1999; United States [USA] 2000; Australia [AUS], Belgium [BEL], Canada [CAN], Portugal [PRT], South Africa [ZAF], Spain [ESP], and United Kingdom [GBR] 2001). The copyright to some of the data in this table is retained by the source agency; see appendix for details before reproducing these data elsewhere. All data used here with written permission. \*Gives the number of professionals abroad as a fraction of total professionals (domestic + abroad). \*\*There are 834 physicians born in one of the other eight receiving countries who appear in the 2001 census of South Africa. This negative number thus represents a "netting out" term.

The full contents of this table are available in an Excel workbook here: [http://www.cgdev.org/doc/Data/Africa\\_health\\_emigration.xls](http://www.cgdev.org/doc/Data/Africa_health_emigration.xls)

**Table 2. Professional nurses born in Africa appearing in census of nine receiving countries circa 2000**

Sending country	Domestic	Receiving country										Total abroad	Frac.*
		GBR	USA	FRA	CAN	AUS	PRT	ESP	BEL	ZAF			
Algeria	83,022	37	138	7,953	40	6	1	26	44	0	8,245	9%	
Angola	13,135	22	135	12	10	4	1,639	8	11	0	1,841	12%	
Benin	1,315	4	28	155	0	0	0	0	0	0	187	12%	
Botswana	3,556	47	28	0	0	0	0	0	0	5	80	2%	
Burkina Faso	3,097	0	14	50	0	0	0	1	11	0	76	2%	
Burundi	38	10	14	1	25	0	0	0	83	0	134	78%	
Cameroon	4,998	118	664	343	0	0	0	5	33	0	1,163	19%	
Cape Verde	355	0	91	25	0	0	128	0	0	0	244	41%	
Cent. Afr. Rep.	300	3	6	85	0	0	0	0	6	0	99	25%	
Chad	1,054	0	21	110	0	0	0	0	0	0	131	11%	
Comoros	231	0	6	64	0	0	0	0	0	0	70	23%	
Congo, DR	16,969	44	207	206	50	0	9	4	1,761	7	2,288	12%	
Congo, Rep.	4,933	28	114	369	0	0	14	4	122	9	660	12%	
Cote d'Ivoire	7,233	0	185	302	0	0	0	0	22	0	509	7%	
Djibouti	424	0	0	9	0	0	0	0	0	0	9	2%	
Egypt	187,017	108	661	89	45	87	0	2	0	0	992	1%	
Eq. Guinea	162	0	0	0	0	0	0	98	0	0	98	38%	
Eritrea	811	27	384	0	75	11	0	0	0	0	497	38%	
Ethiopia	5,342	61	888	16	75	37	0	0	0	0	1,077	17%	
Gabon	1,554	0	14	93	0	0	0	0	0	0	107	6%	
Gambia	144	57	221	4	0	0	0	0	0	0	282	66%	
Ghana	14,972	2,381	2,101	1	275	0	0	2	0	6	4,766	24%	
Guinea	3,847	0	171	53	10	0	0	27	6	0	267	6%	
Guinea-Bissau	799	5	0	45	0	0	212	0	0	0	262	25%	
Kenya	26,267	1,336	765	4	135	110	0	0	0	22	2,372	8%	
Lesotho	1,266	5	6	0	0	0	0	0	0	25	36	3%	
Liberia	185	28	773	5	0	0	0	1	0	0	807	81%	
Libya	17,779	72	299	1	10	7	0	2	0	0	391	2%	
Madagascar	3,088	4	43	1,096	10	0	1	1	17	0	1,171	28%	
Malawi	1,871	171	171	0	10	14	0	0	0	11	377	17%	
Mali	1,501	0	57	208	0	0	0	0	0	0	265	15%	
Mauritania	1,580	0	21	94	0	0	0	2	0	0	117	7%	
Mauritius	2,629	4,042	107	86	75	195	1	0	22	3	4,531	63%	
Morocco	29,462	47	276	3,707	60	4	5	560	517	0	5,176	15%	
Mozambique	3,664	12	64	0	10	0	748	2	6	11	853	19%	
Namibia	2,654	18	6	0	0	4	1	0	6	118	152	5%	
Niger	2,668	0	28	38	0	0	0	0	0	0	66	2%	
Nigeria	94,747	3,415	8,954	24	160	0	0	8	6	12	12,579	12%	
Rwanda	1,805	13	85	24	20	3	1	1	144	0	292	14%	
Sao Tome & P.	172	0	0	8	0	0	141	0	0	0	149	46%	
Senegal	1,887	3	102	584	0	0	0	0	6	0	695	27%	
Seychelles	422	80	28	8	30	29	0	0	0	0	175	29%	
Sierra Leone	1,524	747	696	4	10	0	0	0	0	0	1,457	49%	
Somalia	1,486	76	47	8	30	3	0	0	0	0	164	10%	
South Africa	90,986	2,884	877	20	275	955	58	3	33	-261**	4,844	5%	
Sudan	26,730	42	85	12	20	7	0	0	0	0	166	1%	
Swaziland	3,345	21	36	0	10	4	0	0	0	25	96	3%	
Tanzania	26,023	446	228	0	240	32	2	1	0	4	953	4%	
Togo	782	10	36	140	0	0	0	0	0	0	186	19%	
Tunisia	26,389	11	64	1,365	20	0	0	1	17	0	1,478	5%	
Uganda	9,851	714	291	0	75	29	0	1	0	12	1,122	10%	
Zambia	10,987	664	299	0	25	68	2	0	0	52	1,110	9%	
Zimbabwe	11,640	2,834	440	0	35	219	14	3	0	178	3,723	24%	
Africa	758,698	20,647	20,983	17,421	1,865	1,828	2,977	763	2,872	239	69,589	8%	
Sub-Saharan	414,605	20,372	19,545	4,297	1,690	1,724	2,971	172	2,294	239	53,298	11%	

Sources: See Acknowledgements. African sending countries show country of birth as recorded in the receiving-country census. Receiving countries show country of residence at the time of the last census (France [FRA] 1999; United States [USA] 2000; Australia [AUS], Belgium [BEL], Canada [CAN], Portugal [PRT], South Africa [ZAF], Spain [ESP], and United Kingdom [GBR] 2001). The copyright to some of the data in this table is retained by the source agency; see appendix for details before reproducing these data elsewhere. All data used here with written permission. \*Gives the number of professionals abroad as a fraction of total professionals (domestic + abroad). \*\*There are 261 professional nurses born in one of the other eight receiving countries who appear in the 2001 census of South Africa. This negative number thus represents a "netting out" term.

The full contents of this table are available in an Excel workbook here: [http://www.cgdev.org/doc/Data/Africa\\_health\\_emigration.xls](http://www.cgdev.org/doc/Data/Africa_health_emigration.xls)